

Vinyl

Orientation of texts and graphics are to be parallel to the short edges of the wayfinding signs.

Vinyl to be applied to signs as shown on the drawings. Applied vinyl to have no bubbles, folded edges, folds, dust marks, scratches and cuts.

Anti-graffiti coating

Preparation of surfaces where coating is to be applied to be as per the manufacturer's specifications.

Coating shall be applied to all visible faces of the wayfinding signs when installed in place.

Coating finish is to have no smudges, stains, discolouration dust marks, and liquid run marks. The finished surface shall not bubble or flake off from the face of the signs.

2.4 Fixings

All fixings and fasteners shall conform to the following:

- Have finished surface that will not cause discolouration or change in colour tone.
- To be anti-vandal / tamper proof types.
- Compatible with the products to which they are applied.
- Provide fasteners in materials of mechanical strength and corrosion resistance at least equal to that of the lowest resistant metal joined.
- Use washers under all nuts, suitable for its purpose.

2.5 Concrete Footing

All footing and bolting systems must be approved and signed off by an experienced and NER registered structural engineer.

3. Signage installation**3.1 Site location**

- A 'Dial Before you Dig' should be undertaken prior to installation to identify any potential underground services.
- Ensure the sign locations are accurately identified and correspond to approved set out plan.
- All signs shall be installed in accordance with the City's principles of placement. Where it is installed within the road reserve, refer to City of Perth's Wayfinding Guidelines p.17-p.20.

3.2 Obstruction permit

An activity that obstructs any part of a public thoroughfare (e.g roads, footpaths, verges or reserves), using any equipment including cranes, cherry pickers, ladders, mobile scaffolding, waste bins, hand tools or carrying out excavation works or filming, will require a permit. Please visit City of Perth website for Obstruction Permit application and details.

3.3 Site restrictions

The contractor is to comply with the following restrictions on the use of the site: Work on site shall only occur between the hours of 7.00am and 7.00pm from Monday to Saturday. Work on Sundays and outside normal working hours is not permitted unless an application has been approved by the City.

3.4 Existing sign removal

Remove existing signs where necessary in accordance with the Signage Schedule and return to the City of Perth's Depot: 22 Roberts St W, Osborne Park WA 6017 (enter via Linwood Court).

Give prior notice to the Depot or call 9641 3904 to arrange for delivery of the returned items.

3.4 Transportation

Ensure delivery of new signage from fabricators is undertaken with utmost care to avoid damage. New signage should be bubble wrapped or similarly protected to avoid dents and scratches. Check all signs on delivery to ensure no damage was incurred in transit.

3.5 Responsibility for damage and rectification

Any damage and compensation payments resulting from non-observance of the above requirements are the responsibility of the Contractor.

Repair any damage caused to existing infrastructure including roadways and footpaths or services such as water, gas or drainage pipes, sewers, electric conduit or other existing works or services to the contractor's expense and to the satisfaction of the City and relevant authority.

Make good paintwork to existing poles if damaged in the installation of the new wayfinding signs. Colour specifications of existing pole (specified colour to be provided upon award of contract) or to match existing and to the satisfaction and approval of the City.

If repairs are not acceptable, the City may arrange repairs and charge the Contractor the reparation costs.

A specialist paving contractor will be required to undertake reinstatement where signage is in granite paving.

3.6 Access

Safe universal public access around the work area must be maintained at all times. Such access includes persons on foot, bicycles, wheelchairs and motor vehicles.

3.7 Site safety

- **Temporary works:** Provide and maintain safety signs and fencing or other approved barriers (if applicable).
- **Access ways and services:** Do not obstruct or prevent access to roadways and footpaths, drainage structures and existing services in use, on or adjacent to installation sites. Determine the location of such services prior to any works and arrange for management measures as required to conduct the works.
- A sign itself may be a hazard. Ensure the placement do not obscure hazards or distract the viewer during hazardous situations.
- Wear personal protective equipment (PPE) during installation and undertake appropriate health and safety measures.

3.8 Parking

Use only designated parking areas. Street parking permits can be obtained from the City of Perth Health and Activity Approvals Unit. Allow for sufficient lead time for the review and granting of approval by the City. Fees apply.

3.9 Design conflicts

If there is any conflict between the final location and orientation of a new sign and the location shown on the drawings, notify the Project Officer immediately. No further installation works are to progress without complete resolution of the conflict and written approval by the Project Officer.

3.10 Storage

The contractor shall safely and securely store the new signage until installation. Signs must be safely packaged to protect from damage and stored until the installation date of installation as approved by the Project Officer.

3.11 Completion of the works

Before the date for completion of works the contractor shall:

- Remove all temporary works.
- Repair and make good any damage to existing