



STREET TREE HOME IN CONCRETE PAVING, MULCH FINISH

703.02

STREET TREE AND IRRIGATION DESIGN

REVIEWED: 15.03.2024



NOTES

1. TO BE READ IN CONJUNCTION WITH THE STREET TREE SPECIFICATION AND ALL OTHER DETAILS IN THIS BOOK 700.
2. ALL ROAD BASE, ROCK, DEBRIS AND RUBBISH TO BE REMOVED FROM TREE PIT PRIOR TO BACKFILLING.
3. WHERE TREE IS PROPOSED WITHIN INSITU CONCRETE PATH ENSURE SAW CUT IS EXTENDED TO NEAREST EXPANSION JOINT IN EITHER DIRECTION
4. TREE HOMES AND SOIL ZONES SHOULD NOT BE RESTRICTED TO THE SIZE SHOWN HERE. THE USE OF STRUCTURAL SOILS AND/OR CELLS IS REQUIRED IN ADDITION TO THIS DETAIL TO ACHIEVE TARGET SOIL VOLUMES. REFER TO 704.01-05
5. WATER HARVESTING INLETS NOT ALWAYS REQUIRED. REFER TO DRAWINGS AND SPECIFICATION.
6. ROAD AND FOOTPATH CONSTRUCTION SHALL BE COMPLETED PRIOR TO DIGGING TREE PITS.
7. PREFERRED ALIGNMENT IS ONE FULL PAVER (400MM) FROM THE BACK OF KERB UNLESS OTHERWISE STATED ON LANDSCAPE DRAWINGS.
8. CONSTRUCTION OF FOOTPATHS, KERBS, FOOTPATHS ETC AS PER DESIGN AND CONSTRUCTION NOTES BOOKS 100, 300 & 400